

In Tanzania,

Deaths due to **HEART ATTACK** and **STROKE**
are **6 times higher** than **CANCER**⁽¹⁻⁵⁾

Know your present risk and the 10-year risk by a simple ultrasound



HEAMEDA
HOSPITAL

Introducing
First Time in
Tanzania

AtheroPoint™
Monitoring Made Simple

Simple Diagnostic Procedure

Just a simple Ultrasound scan with blood test

- ✿ Non-Invasive
- ✿ No Radiation (No risk of magnetic radiation)
- ✿ Affordable by all
- ✿ Check your present condition

Risk Factors

- ✓ Obesity
- ✓ Diabetes
- ✓ Smoker
- ✓ High Cholesterol
- ✓ Blood Pressure
- ✓ Erectile Dysfunction
- ✓ Stressful Job/Life
- ✓ Sedentary Lifestyle
- ✓ Existing Cardiovascular Disease
- ✓ Family History of Heart Disease
- ✓ Age > 40 years

1. Association of psychosocial risk factors with risk of acute myocardial infarction in 11 119 cases and 13 648 controls from 52 countries (the INTERHEART study): case-control study. *The Lancet*. 2004; 364: 953-62.
2. Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the study): a case-control study. *The Lancet*. 2010; 376: 112-23.
3. Cardiovascular diseases in India. *Circulation*. 2016; 133: 1605-20.
4. Projection of cancer incidence in five cities and cancer mortality in India. *Indian J. of Cancer*, 2008;45 (1), 4-7
5. Cancer Scenario in India with Future perspectives. *Cancer Therapy*, 2011; 8. pp. 56.



Tanzania HEADQUARTERS

Heameda Hospital, Bunju B
Dar Es Salaam, PO Box,
12633 Dar Es Salaam,
Tanzania

☎ (+255) 758012006
☎ (+255) 658012006

USA HEADQUARTERS

AtheroPoint LLC,
208 Otter Glen Ct,
Roseville, California,
United States

☎ (+234) 806 968 7268
☎ (+1) 916 749 5628

